Community	Health Cent	ters (CHCs)					
Priority	v Area	NQF#	Measure	Data Source(s)	Structure, Process or Outcome Measure	Data Already Reported	Vlandated	Recommendation Level (S/M)
		21	(HEDIS) Annual monitoring for patients on persistent medications.	MHQP website/Claims & clinical records	P	x	x	s
		577	(HEDIS) Use of spirometry testing in assessment of chronic obstructive pulmonary disease (COPD).	MHQP website/Claims & clinical records	P	x	x	s
		3//	(HEDIS) Cholesterol management for patients with cardiovascular conditions.	MHQP website/Claims & clinical records	0	x	x	S
		18	(HEDIS) Controlling high blood pressure.	Claims & clinical records	0		x	s
		731	(HEDIS) Comprehensive adult diabetes care	Claims & clinical records MHQP website/Claims &	PO	,	X	S
	ment	36	(HEDIS) Use of appropriate medications for people with asthma	clinical records	P	Х	X	S
	Chronic Disease Management	54	(HEDIS) Disease modifying anti-rheumatic drug therapy in rheumatoid arthritis.	Claims & clinical records	P		X	M
	sease N	53	(HEDIS) Osteoporosis management in women who had fracture.	Claims & clinical records	Р		Х	М
	onic Di:	549	(HEDIS) Pharmacotherapy of chronic obstructive pulmonary disease (COPD) exacerbation.	Claims & clinical records	Р		Х	М
	ş	1799	(HEDIS) Medication Management for People with Asthma	Claims & clinical records	Р		Х	M
		9	(HEDIS) Children with Chronic Conditions	Claims & clinical records	Р		Х	М
		283	Adult asthma admission rate (PQI 15)	HDD and provider linking	0	Х		S
		275	Chronic obstructive pulmonary disease admission rate (PQI 5)	Claims & clinical records	0	Х		S
		277	Congestive Heart Failure Admission Rate (PQI 8)	HDD and provider linking	0	х		S
		272	PQI 01: Diabetes Short-Term Complications Admission Rate Annual Percentage of Pediatric Asthma Patients with One or More Asthma-Related Emergency Room	HDD and provider linking	0	х		S
			Visit	HDD and provider linking	0			М
	Pediatric	69	(HEDIS) Appropriate treatment for children with upper respiratory infection	MHQP website/Claims & clinical records	Р	х	х	S
		1516	(HEDIS) Well-child visits in the third, fourth, fifth and sixth years of life	MHQP website/Claims & clinical records	Р	х	х	S
ealth		2	(HEDIS) Appropriate testing of children with pharyngitis	Claims & clinical records	Р		х	S
ion He		108	(HEDIS) Follow-up care for children prescribed ADHD medication	MHQP website/Claims & clinical records	Р	х	х	S
opulat			(HEDIS) Adolescent well-care visits	MHQP website/Claims & clinical records	Р	х	х	S
Community & Population Health		1407	(HEDIS) Childhood immunization status	Claims & clinical records	0		х	М
nmuni		1506	(HEDIS) Immunizations for adolescents	Claims & clinical records	0		х	М
Cor			(HEDIS) Lead screening in children	Claims & clinical records	Р		х	М
			(HEDIS) Weight assessment and counseling for nutrition and physical activity for children/adolescents	Claims & clinical records	Р		х	s
			(HEDIS) Children's and adolescents' access to primary care practitioners		Р		х	М
		1959	(HEDIS) Human Papillomavirus Vaccine for Female Adolescents	Claims & clinical records	0		х	М
	Maternal & Neonatal Care	1391	(HEDIS) Frequency of ongoing prenatal care	Claims & clinical records	Р		х	М
		1517	(HEDIS) Prenatal and postpartum care	Claims & clinical records	P		х	х
		1392	(HEDIS) Well-child visits in the first 15 months of life	MHQP website/Claims & clinical records	P	х	x	м
		278	Rate of live birth weighing less than 2,500 grams (PQI 09)	HDD or DPH reporting	0	x		M
	2			MHQP website/Claims &	P		v	
		31	(HEDIS) Breast cancer screening.	clinical records MHQP website/Claims &		X	X	S
		34	(HEDIS) Colorectal cancer screening.	clinical records MHQP website/Claims &	Р	X	X	S
		32	(HEDIS) Cervical cancer screening	clinical records MHQP website/Claims &	Р	Х	Х	S
	Health	1395	(HEDIS) Chlamydia screening in women	clinical records	Р	Х	Х	S
	£		(HEDIS) Adult BMI Assessment	Claims & clinical records	Р		Х	М

Priorit	y Area	NQF#	Measure	Data Source(s)	Structure, Process or Outcome Measure	Data Already Reported	Mandated	Recommendation Level (S/M)
			(HEDIS) Adults' access to preventive/ambulatory health services	Claims & clinical records	Р		х	М
	Preventive	40	(HEDIS) Flu shots for older adults.	Claims & clinical records	0		х	М
	_	43	(HEDIS) Pneumonia vaccination status for older adults.	Claims & clinical records	0		х	М
		37	(HEDIS) Osteoporosis Testing in Older Women	Claims & clinical records	Р		х	М
		39	(HEDIS) Flu Shots for Adults Ages 50–64	Claims & clinical records	0		х	М
		1388	(HEDIS) Annual dental visit	Claims & clinical records	Р		х	М
		4	(HEDIS) Initiation and engagement of alcohol and other drug dependence treatment	Claims & clinical records	Р		х	S
	Substance Abuse	27	(HEDIS) Medical Assistance With Smoking and Tobacco Use Cessation	Claims & clinical records	P		x	м
£	bstance	28	Measure pair: a. Tobacco Use Assessment, b. Tobacco Cessation Intervention	Claims & clinical records (CPT codes)	P			м
l Healt	Sel	20	Unhealthy Alcohol Use: Screening & Brief Counseling	Claims & clinical records (CPT codes)	P			м
Behavioral Health		105		MHQP website/Claims & clinical records	P	х	х	
Beh	alth & nent		(HEDIS) Antidepressant medication management (doctor follow-up).			X		S
	Mental Health & Development	576	(HEDIS) Follow-up after hospitalization for mental illness.	Claims & clinical records Claims & clinical records	P		Х	S
	Μe	1879	Adherence to Antipsychotics for Individuals with Schizophrenia	(CPT codes) Claims & clinical records	0			M
	su	418	Screening for Clinical Depression	(CPT codes)	Р			М
Care	Care Transitions	554	(HEDIS) Medication reconciliation post-discharge	Claims & clinical records	Р		Х	М
ره مط		1768	(HEDIS/NCQA) Plan All-Cause Readmission Ambulatory Care Experiences Survey (ACES) - MHQP Ambulatory Patient Experiences of Care Survey	Claims with provider link	0		Х	М
	3		(for Adults and for Children)	Survey	PO	Х	Х	S
		58	(HEDIS) Avoidance of antibiotic treatment in adults with acute bronchitis	Claims & clinical records	Р		Х	S
		52	(HEDIS) Use of imaging studies for low back pain	Claims & clinical records	Р		Х	S
		22	(HEDIS) Use of high-risk medications in the elderly	Claims & clinical records	Р		Х	М
		553	(HEDIS) Care for older adults	Claims & clinical records	PO		Х	М
		71	(HEDIS) Persistence of beta-blocker treatment after a heart attack.	Claims & clinical records	PO		х	М
đ			(HEDIS) Glaucoma screening in older adults.	Claims & clinical records	Р		Х	М
		35	(HEDIS) Fall Risk Management	Claims & clinical records	Р		Х	М
		30	(HEDIS) Management of Urinary Incontinence in Older Adults	Claims & clinical records	0		х	М
		29	(HEDIS) Physical Activity in Older Adults	Claims & clinical records	Р		х	М
			(HEDIS) Aspirin Use and Discussion	Claims & clinical records	Р		Х	М
			(HEDIS) Potentially harmful drug-disease interactions in the elderly	Claims & clinical records	Р		Х	М
Hospitals								
	Chronic Disease Management	136	HF-1: Discharge instructionshospital.	CMS/Hospital Compare	PO	х	х	S
		135	HF-2: Evaluation of left ventricular systolic (LVS) function—hospital. HF-3: angiotensin converting enzyme inhibitor (ACEI) or angiotensin receptor blocker (ARB) for left	CMS/Hospital Compare	PO	х	х	М
Ę	Disease	162	nr-s. angoteism converting enzyme immutor (ACC) or angoteism receptor biocker (AKO) for left ventricular systolic dysfunction (LVSD)—hospital.	CMS/Hospital Compare	PO	х	х	М
ı Healt		143	CAC-1: Use of relievers for inpatient asthma	Claims	Р			S
ulation		144	CAC-2: Use of systemic corticosteroids for inpatient asthma	Claims	Р			S
ty & Popi	Pediatric							
n muni	Community & Population Health aternal & Pediatric Chronic Di	474	PSI 17 - Birth Trauma – Injury to Neonate	HDD	0	х		S
Cor			Rate of Babies Electively Delivered Before Full-Term	Leapfrog	Р	х		S

Priorit	v Area	NQF#	Measure	Data Source(s)	Structure, Process or Outcome Measure	Data Already Reported	Mandated	Recommendation Level (S/M)
THORE	Σω	rrq."	PSI 19 - Obstetric Trauma — Vaginal Delivery without Instrument	HDD	s o	х	2	M
	Preventive Health		13123 Gustette Hauma Vaginar Servery without instrument			Α		M
l Health	Sub Abuse							
Behavioral Health	Mental Health & Developme nt	552	HBIPS-4: Patients discharged on multiple antipsychotic medications.	Claims & clinical records (CPT codes)	P			М
		338	CAC-3: Home Management Plan of Care Document Given to Patient/Caregiver	Clinical records	Р			М
_	Care Transitions							
Care Coordination	Care Ti	1789	Yale/CMS Hospital-Wide All-Cause Readmission Measure	HDD	0			M
Coordi			CCM-3: Timely transmission of transition record	Clinical records	Р			M
Care (Coordination & Communication	166/228	Hospital Consumer Assessment of Healthcare Providers and Systems (HCAHPS)	Survey	PO	Х	Х	S
	oordin		Computerized physician order entry standards	Leapfrog	SP	Х		М
	٥ S	1641	Hospice and Palliative Care – Treatment Preferences	Clinical records	Р			М
			AMI-7a: Fibrinolytic therapy received within 30 minutes of hospital arrivalhospital.	CMS/Hospital Compare	Р	Х	Х	S
		163	AMI-8a: Primary percutaneous coronary intervention (PCI) received within 90 minutes of hospital arrivalhospital.	CMS/Hospital Compare	Р	х	Х	S
		639	AMI-10 Statin Prescribed at Discharge	CMS/Hospital Compare	Р	х	х	S
		300	SCIP-Inf-4 Cardiac Surgery Patients With Controlled 6 A.M. Postoperative Blood Glucose	CMS/Hospital Compare	0	х	х	S
		453	SCIP-Inf-9 Urinary Catheter Removed on Postoperative Day 1 (POD 1) or Postoperative Day 2 (POD 2) with day of surgery being day zero	CMS/Hospital Compare	Р	х	х	S
			SCIP-Card-2 Surgery Patients on Beta-Blocker Therapy Prior to Arrival Who received a Beta-Blocker					
		284	During the Perioperative Period	CMS/Hospital Compare	Р	Х	Х	S
		92	AMI-1: Aspirin at arrivalhospital.	CMS/Hospital Compare	Р	Х	Х	M
		142	AMI-2: Aspirin prescribed at dischargehospital.	CMS/Hospital Compare	Р	Х	Х	М
		160	AMI-5: Beta-blocker prescribed at dischargehospital.	CMS/Hospital Compare	Р	Х	Х	М
		148	PN-3b: Blood cultures performed in the emergency department prior to initial antibiotic received in hospital-hospital.	CMS/Hospital Compare	Р	Х	Х	М
		147	PN-6: Initial antibiotic selection for community-acquired pneumonia (CAP) in immunocompetent patientshospital.	CMS/Hospital Compare	Р	Х	Х	М
		527	SCIP-Inf-1a: Prophylactic antibiotic received within one hour prior to surgical incision - overall rate-hospital.	CMS/Hospital Compare	Р	х	Х	М
2		528	SCIP-Inf-2a: Prophylactic antibiotic selection for surgical patients - overall ratehospital.	CMS/Hospital Compare	Р	х	х	М
		529	SCIP-Inf-3a: Prophylactic antibiotics discontinued within 24 hours after surgery end time - overall rate-hospital.	CMS/Hospital Compare	Р	х	х	М
		301	SCIP-Inf-6: Surgery patients with appropriate hair removal—hospital.	CMS/Hospital Compare	P	x	х	М
		452	SCIP-Inf-0. Surgery patients with appropriate flair removar-nospital. SCIP-Inf-10 Surgery Patients with Perioperative Temperature Management	CMS/Hospital Compare	0	x	×	M
		217	SCIP-VTE-1: Surgery patients with recommended venous thromboembolism prophylaxis ordered.	CMS/Hospital Compare		x		
		217	SCIP-VTE-2: Surgery patients who received appropriate venous thromboembolism prophylaxis within		P		X	M
			24 hours prior to surgery to 24 hours after surgery.	CMS/Hospital Compare	Р	Х	Х	M
			PSI 03 - Pressure Ulcer Rate	HDD	0	Х		S
			PSI 06 - latrogenic Pneumothorax Rate	HDD	0	Х		S
			PSI 07 - Central Venous Catheter-Related Blood Stream Infections Rate	HDD	0	Х		S
		533	PSI 11 - Postoperative Respiratory Failure Rate	HDD	0	х		S
			PSI 12 - post-operative PE/DVT	HDD	0	х		S
		345	PSI 15 - Accidental Puncture or Laceration Rate	HDD	0	х		S
			PSI 08 - Postoperative Hip Fracture Rate	HDD	0	х		М
Skilled Nurs	ing Facilities	(SNFs)						

Priority Area		NQF#	Measure	Data Source(s)	Structure, Process or Outcome Measure	Data Already Reported	Mandated	Recommendation Level (S/M)
Community & Population Health	Chronic Disease Mgmt							
	Pediatric							
nunity & Po	Maternal & Neonatal Care							
Сотт	Preventive Health							
ealth	Sub Abuse							
Behavioral Health	Mental Health & Development							
Care Coordinat ion	Care Transitions							
Other		678	Percent of Residents with Pressure Ulcers That Are New or Worsened (Short-Stay)	CMS	0	х		S
		679	Percent of High Risk Residents with Pressure Ulcers (Long Stay)	CMS	0	Х		S
			Percent of Residents Who Self-Report Moderate to Severe Pain (Short-Stay)	CMS	0	Х		S
Home Health Care		677	Percent of Residents Who Self-Report Moderate to Severe Pain (Long-Stay)	CMS	0	Х		S
Community & Population Health	Chronic Disease Mgmt							
	Pediatric							
nity & F	Matern al & Neonat al Care							
Commu	Preventive Health							
ealth	Sub Abuse							
Behavioral Health	Mental Health & Development							
tion	Care Transitions	171	OASIS - Acute care hospitalization (risk-adjusted)	CMS	0	х		S
Care Coordination		173	OASIS - Emergent care (risk adjusted)	CMS	0	х		S
		526	OASIS - Timely Initiation of Care	CMS	Р	х		S
Other								